





## OTHER CONDITIONS

1. The valves are to be suitable for the design pressure of that part of the piping system in which they are to be fitted.
2. The use of the valves in pipework systems in LR Classed LNG/LPG carriers, refrigerated cargo ships or cold/chill stores also require to be:
  - 2.1 Installed to the satisfaction of LR Surveyors and in accordance with the relevant Rules and Codes.
3. When used on an LR Classed installation, materials are to be sourced from an LR approved works.

*"This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid certificate."*

*The attached Design Appraisal Document No. 02/00064(E2) and its supplementary Type Approval Terms and Conditions form part of this Certificate.*

All other details remain as the previous Certificate No. 02/00064(E1) to which this extension should be attached.

<b>Certificate No.</b>	02/00064(E2)
<b>Issue Date</b>	14 January 2013
<b>Expiry Date</b>	6 August 2017
<b>Sheet</b>	2 of 2

Lloyd's Register EMEA  
71 Fenchurch Street, London EC3M 4BS



W.H. Chan  
London Design Support Office  
Lloyd's Register EMEA

Lloyd's Register EMEA  
Is a subsidiary of Lloyd's Register Group